



United States  
Department of  
Agriculture

National  
Agricultural  
Statistics  
Service



Ct Gn 1 (04)

# Cotton Ginnings 2003 Summary

## May 2004

# USDA





Cotton Ginnings: Running Bales Ginned (Excluding Linters)  
by Type, State, and United States, Crop Years 2000-03

Type and State	2000	2001	2002	2003
All Cotton				
AL	532,950	907,300	566,200	799,950
AZ	753,400	656,850	596,200	514,000
AR	1,406,300	1,788,400	1,615,150	1,735,600
CA	2,492,250	2,358,250	2,008,300	1,822,950
FL 1/			67,300	122,200
GA	1,621,700	2,159,050	1,549,550	2,041,400
KS 1/			68,300	89,200
LA	923,250	1,044,600	749,050	1,028,300
MS	1,676,600	2,339,250	1,880,500	2,063,250
MO	502,600	673,800	579,200	675,800
NM	64,150	70,800	58,700	56,800
NC	1,407,550	1,640,550	782,300	1,007,450
OK	146,050	194,850	203,500	205,350
SC	357,900	404,200	127,000	311,450
TN	691,350	950,150	788,950	853,900
TX	3,900,850	4,232,800	4,981,500	4,274,850
VA	146,800	177,900	88,750	106,450
US	16,741,850	19,771,200	16,710,450	17,708,900
Amer-Pima				
AZ	7,300	14,100	16,800	4,400
CA	332,950	617,900	581,500	356,450
NM	4,450	12,900	18,000	12,550
TX	30,200	32,800	38,700	43,450
US	374,900	677,700	655,000	416,850

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound  
Bales Ginned, by Type, State, and United States, Crop Years 2002-03

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2002	2003	2002	2003
All Cotton				
AL	550,200	789,300	585,050	828,450
AZ	609,500	535,950	615,900	530,000
AR	1,628,000	1,755,150	1,655,200	1,784,050
CA	1,995,000	1,801,050	2,080,400	1,886,500
FL	92,450	113,200	69,850	125,900
GA	1,532,700	2,045,700	1,595,400	2,106,050
KS	73,850	86,800	70,600	91,950
LA	718,650	1,000,100	770,100	1,055,500
MS	1,886,850	2,067,350	1,928,300	2,115,700
MO	593,500	682,950	595,150	693,400
NM	99,450	82,000	58,850	57,450
NC	779,400	996,900	809,050	1,047,950
OK	203,250	212,600	208,600	209,850
SC	127,800	314,750	130,450	322,350
TN	791,650	863,050	813,600	878,800
TX	4,936,000	4,246,000	5,127,500	4,397,450
VA	92,200	116,050	91,450	109,450
US	16,710,450	17,708,900	17,205,450	18,240,800
Amer-Pima				
AZ	16,600	4,400	17,450	4,600
CA	581,700	356,450	603,050	370,500
NM	15,300	13,100	18,100	12,650
TX	41,400	42,900	39,500	44,400
US	655,000	416,850	678,100	432,150

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2003

Type and State	October 1	October 15	November 1
All Cotton			
AL	21,550	118,500	301,600
AZ	36,200	74,300	147,000
AR	91,650	384,100	928,650
CA	0	35,450	365,950
FL	3,700	12,950	41,450
GA	62,800	228,050	607,350
LA	257,000	514,300	823,850
MS	405,300	872,700	1,446,600
MO	3,700	89,300	261,150
NM	0	1,000	13,050
NC	950	19,950	208,100
OK	2,100	13,950	50,050
SC	2,050	14,200	70,700
TN	22,300	145,050	369,500
TX	1,091,850	1,295,050	1,740,600
VA	0	0	17,200
US	2,001,150	3,818,850	7,392,800
Amer-Pima			
AZ 1/			
CA 1/	0		
NM 1/	0		
TX 1/	0	250	6,500
US 2/		7,500	59,350

See footnotes at end of table.

-- (continued)

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2003 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	452,000	622,900	728,150
AZ	215,850	290,450	368,600
AR	1,340,700	1,609,150	1,720,800
CA	737,550	1,118,150	1,452,900
FL	71,000	96,800	113,700
GA	987,400	1,422,900	1,773,350
KS 3/		16,500	28,300
LA	973,750	1,023,450	1,028,300
MS	1,808,200	1,983,700	2,038,650
MO	443,550	580,950	655,800
NM	25,200	36,000	48,400
NC	460,900	729,500	931,950
OK	77,800	117,450	159,900
SC	137,400	209,600	263,750
TN	577,000	739,350	821,300
TX	2,151,750	2,789,450	3,444,500
VA	46,950	79,600	99,650
US	10,507,000	13,465,900	15,678,000
Amer-Pima			
AZ 1/			
CA	118,300	202,050	269,750
NM 1/			
TX	14,450	23,750	31,850
US	139,450	234,550	313,550

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2003(continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	781,100	795,500	798,250
AZ	438,550	480,650	502,900
AR	1,734,150	1,735,000	1,735,250
CA	1,666,300	1,766,750	1,812,100
FL	119,350	121,150	121,250
GA	1,957,100	2,024,500	2,037,050
KS	39,600	48,300	59,950
LA	1,028,300	1,028,300	1,028,300
MS	2,055,900	2,058,000	2,059,400
MO	674,200	674,700	675,100
NM	52,700	56,750	56,750
NC	989,850	1,006,400	1,007,450
OK	185,750	198,900	202,850
SC	299,050	307,650	309,900
TN	843,600	849,150	853,600
TX	3,913,400	4,150,900	4,234,550
VA	103,650	106,050	106,450
US	16,882,550	17,408,650	17,601,100
Amer-Pima			
AZ	3,800	3,800	4,400
CA	307,850	335,400	356,450
NM	11,700	12,550	12,550
TX	37,550	43,150	43,450
US	360,900	394,900	416,850

- 1/ Not published to avoid disclosing individual gins, but included in U.S. totals.
- 2/ Not published to avoid disclosing individual gins, but included in the all cotton U.S. total.
- 3/ Kansas first estimate is December 1.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:					
Autauga	1/:					10,000
Baldwin	1/:					16,350
Barbour	:	0		0		6,950
Bibb	1/:	0		0		
Blount	1/:					3,900
Bullock	:	0		0		1,500
Butler	:	0		0		1,150
Calhoun	:	0		0		6,900
Chambers	:	0		0		600
Cherokee	1/:					12,850
Chilton	1/:					850
Choctaw	:	0		0		700
Clarke	:	0		0		1,200
Clay	:	0		0		1,100
Coffee	1/:					21,700
Colbert	1/:					43,200
Conecuh	:	0		0		5,200
Covington	1/:					25,450
Crenshaw	1/:					1,550
Cullman	:	0		0		3,000
Dale	:	0		0		13,350
Dallas	:	0		0		16,150
Dekalb	1/:	0		0		
Elmore	1/:					19,250
Escambia	1/:					33,600
Etowah	:	0		0		2,350
Fayette	1/:					2,700
Franklin	:	0		0		2,350
Geneva	1/:					17,400
Greene	1/:					500
Hale	:	0		0		1,650
Henry	1/:					29,950
Houston	1/:					31,350
Jackson	:	0		0		10,050
Jefferson	:	0		0		2,700
Lamar	:	0		0		650

See footnotes at end of table.

--(continued)



Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003(continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Lauderdale	1/:					41,700
Lawrence	1/:					65,550
Lee	:	0		0		3,600
Limestone	:	114,100		119,500		100,450
Lowndes	1/:					5,250
Macon	1/:					26,150
Madison	:	67,100		69,550		74,200
Marengo	1/:					6,150
Marion	:	0		0		550
Marshall	:	0		0		750
Mobile	1/:					14,750
Monroe	1/:					34,100
Montgomery	:	0		0		1,850
Morgan	:	0		0		2,000
Perry	:	0		0		4,200
Pickens	:	0		0		750
Pike	:	0		0		9,650
Russell	1/:					8,650
Shelby	:	0		0		6,300
Talladega	:	0		0		3,250
Tallapoosa	1/:					1,600
Tuscaloosa	1/:					7,200
Washington	:	0		0		1,950
Wilcox	:	0		0		3,450
Other	2/:					16,800
	:		:		:	
Alabama	:	799,950		828,450		789,300
	:		:		:	
Cochise	1/:					3,700
Graham	1/:					43,050
Greenlee	:	0		0		2,250
La Paz	1/:					49,750
Maricopa	:	154,500		158,700		95,650
Mohave	1/:					7,350
Pima	1/:					23,600
Pinal	:	208,550		214,750		248,550
Yuma	:	63,950		66,250		62,100
	:		:		:	
Arizona	:	514,000		530,000		535,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Arkansas	1/:	0		0		
Ashley	:	110,950		113,400		112,150
Chicot	1/:					72,800
Clay	1/:					44,300
Craighead	:	172,200		176,000		182,350
Crittenden	:	81,900		83,450		56,500
Cross	1/:					2,350
Desha	:	236,900		242,400		184,700
Drew	1/:					46,300
Greene	:	28,900		29,400		28,900
Jefferson	:	71,300		73,200		65,350
Lafayette	1/:					6,650
Lee	1/:					105,000
Lincoln	1/:					72,050
Little River	1/:	0		0		
Lonoke	:	53,200		54,400		46,000
Miller	:	0		0		1,700
Mississippi	:	383,800		394,600		373,350
Monroe	1/:					39,100
Phillips	:	173,250		181,100		127,050
Poinsett	:	126,250		128,900		117,000
Prairie	:	0		0		1,900
Pulaski	:	0		0		1,150
St. Francis	:	73,800		76,450		60,200
Woodruff	1/:					8,250
	:					
Arkansas	:	1,735,600		1,784,050		1,755,150
	:					
Colusa	1/:					12,100
Fresno	:	712,850		739,000		618,150
Glenn	:	0		0		3,650
Imperial	1/:					18,800
Kern	:	332,000		342,650		320,250
Kings	:	322,950		335,800		403,750
Madera	1/:					42,200
Merced	1/:					175,450
Riverside	1/:					43,800
San Bernardino	:	0		0		2,050
San Joaquin	:	0		0		300
Sutter	1/:					2,900
Tulare	:	184,900		190,400		157,650
	:					
California	:	1,822,950		1,886,500		1,801,050

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Calhoun	:	0	:	0	:	2,350
Escambia	1/:					17,250
Gadsden	1/:	0	:	0	:	
Hamilton	1/:	0	:	0	:	
Holmes	:	0	:	0	:	1,500
Jackson	1/:					40,100
Jefferson	:	0	:	0	:	1,700
Madison	:	0	:	0	:	350
Okaloosa	:	0	:	0	:	5,600
Santa Rosa	1/:					38,300
Suwannee	:	0	:	0	:	850
Walton	:	0	:	0	:	4,800
Washington	1/:	0	:	0	:	
Florida	:	122,200	:	125,900	:	113,200
Appling	1/:					50,400
Atkinson	:	0	:	0	:	14,550
Bacon	:	0	:	0	:	15,850
Baker	:	0	:	0	:	46,100
Bartow	1/:					2,000
Ben Hill	:	0	:	0	:	12,300
Berrien	:	72,500	:	74,750	:	32,050
Bleckley	1/:					27,050
Brooks	1/:					62,550
Bryan	:	0	:	0	:	700
Bulloch	1/:					33,050
Burke	:	67,350	:	69,700	:	40,500
Calhoun	1/:					41,850
Candler	1/:					11,750
Clay	:	0	:	0	:	12,200
Clinch	1/:	0	:	0	:	
Coffee	1/:					46,200
Colquitt	:	265,800	:	274,050	:	131,100
Cook	:	0	:	0	:	43,050
Crawford	:	0	:	0	:	1,250
Crisp	1/:					56,000
Decatur	1/:					55,400
Dodge	1/:					21,800
Dooley	:	222,450	:	228,500	:	141,800
Dougherty	:	0	:	0	:	12,800

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Early	1/:		:		:	70,500
Effingham	:	0	:	0	:	2,850
Elbert	:	0	:	0	:	2,550
Emanuel	:	0	:	0	:	26,750
Evans	:	0	:	0	:	8,300
Floyd	:	0	:	0	:	2,750
Glascocock	:	0	:	0	:	1,000
Grady	:	0	:	0	:	41,300
Hart	:	0	:	0	:	800
Henry	1/:	0	:	0	:	
Houston	:	0	:	0	:	22,050
Irwin	1/:		:		:	37,450
Jeff Davis	1/:		:		:	32,150
Jefferson	1/:		:		:	15,250
Jenkins	:	0	:	0	:	16,450
Johnson	:	0	:	0	:	1,750
Lamar	:	0	:	0	:	2,900
Lanier	:	0	:	0	:	11,750
Laurens	1/:		:		:	9,850
Lee	1/:		:		:	41,700
Long	1/:	0	:	0	:	
Lowndes	1/:		:		:	16,700
Macon	:	0	:	0	:	20,350
Madison	1/:	0	:	0	:	
Marion	:	0	:	0	:	2,450
McDuffie	1/:	0	:	0	:	
Miller	1/:		:		:	56,350
Mitchell	1/:		:		:	85,750
Monroe	:	0	:	0	:	400
Montgomery	:	0	:	0	:	3,550
Morgan	1/:		:		:	1,850
Oconee	1/:	0	:	0	:	
Peach	:	0	:	0	:	17,200
Pierce	:	0	:	0	:	15,200
Polk	:	0	:	0	:	1,850
Pulaski	1/:		:		:	49,600
Quitman	:	0	:	0	:	700
Randolph	1/:		:		:	24,250
Schley	:	0	:	0	:	2,050
Screven	1/:		:		:	22,250
Seminole	1/:		:		:	50,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Stewart	:	0	:	0	:	4,000
Sumter	1/:					40,850
Tattnall	:	0	:	0	:	11,700
Taylor	1/:					7,750
Telfair	:	0	:	0	:	10,600
Terrell	1/:					39,050
Thomas	1/:					40,950
Tift	1/:					36,050
Toombs	:	0	:	0	:	6,750
Treutlen	:	0	:	0	:	4,900
Turner	1/:					40,000
Twiggs	:	0	:	0	:	9,950
Walker	:	0	:	0	:	300
Walton	:	0	:	0	:	400
Ware	:	0	:	0	:	5,050
Warren	1/:	0	:	0	:	
Washington	:	0	:	0	:	3,900
Wayne	:	0	:	0	:	11,800
Webster	:	0	:	0	:	9,600
Wheeler	:	0	:	0	:	2,200
Wilcox	1/:					37,050
Wilkinson	:	0	:	0	:	650
Worth	1/:					89,400
Georgia	:	2,041,400	:	2,106,050	:	2,045,700
Kansas	1/:	89,200	:	91,950	:	86,800
Avoyelles	1/:					29,350
Bossier	:	0	:	0	:	2,550
Caddo	:	39,750	:	41,150	:	30,350
Caldwell	:	0	:	0	:	11,000
Catahoula	:	83,100	:	85,200	:	114,350
Concordia	:	80,900	:	82,050	:	64,850
Desoto	:	0	:	0	:	1,450
East Carroll	:	131,900	:	134,450	:	87,450
Evangeline	:	0	:	0	:	1,700
Franklin	:	146,050	:	151,800	:	86,700
Grant	:	0	:	0	:	700
Lasalle	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
-----						
Madison	1/	:	:		:	117,400
Morehouse	:	:	:	126,000	:	112,150
Natchitoches	:	:	:	0	:	10,350
Ouachita	1/	:	:		:	21,700
Pointe Coupee	1/	:	:		:	18,300
Rapides	:	:	:	43,600	:	33,950
Red River	1/	:	:		:	9,650
Richland	:	:	:	75,200	:	53,350
Saint Landry	:	:	:	0	:	5,250
Tensas	:	:	:	127,100	:	164,000
W Baton Rouge	1/	:	:	0	:	
West Carroll	1/	:	:		:	23,200
-----						
Louisiana	:	:	:	1,028,300	:	1,000,100
-----						
Adams	:	:	:	0	:	1,900
Alcorn	:	:	:	0	:	950
Attala	:	:	:	0	:	12,100
Benton	1/	:	:		:	5,600
Bolivar	:	:	:	170,400	:	148,950
Calhoun	:	:	:	50,900	:	41,250
Carroll	1/	:	:		:	30,900
Chickasaw	:	:	:	0	:	6,600
Choctaw	:	:	:	0	:	3,200
Claiborne	:	:	:	0	:	9,050
Clay	:	:	:	0	:	5,450
Coahoma	:	:	:	207,000	:	219,150
Copiah	:	:	:	0	:	1,500
Covington	:	:	:	0	:	1,900
Desoto	1/	:	:		:	16,300
Forrest	:	:	:	0	:	4,100
George	:	:	:	0	:	6,450
Greene	:	:	:	0	:	1,400
Grenada	:	:	:	0	:	11,700
Hinds	1/	:	:		:	21,100
Holmes	:	:	:	126,650	:	121,150
Humphreys	:	:	:	81,300	:	125,500
Issaquena	:	:	:	0	:	29,350
Itawamba	1/	:	:	0	:	
Jackson	:	:	:	0	:	700
Jefferson	1/	:	:		:	5,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003(continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Lafayette	1/:		:		:	8,800
Lamar	:	0	:	0	:	950
Lawrence	:	0	:	0	:	1,150
Leake	:	0	:	0	:	2,400
Lee	1/:		:		:	39,550
Leflore	:	186,200	:	190,400	:	161,950
Lowndes	:	0	:	0	:	8,200
Madison	1/:		:		:	20,250
Marshall	:	0	:	0	:	1,650
Monroe	1/:		:		:	11,050
Montgomery	1/:		:		:	18,500
Newton	:	0	:	0	:	850
Noxubee	:	0	:	0	:	8,550
Oktibbeha	1/:	0	:	0	:	
Panola	:	51,300	:	53,400	:	75,550
Perry	:	0	:	0	:	1,600
Pontotoc	1/:		:		:	10,850
Prentiss	:	0	:	0	:	1,250
Quitman	:	82,700	:	84,150	:	48,950
Rankin	1/:		:		:	9,350
Scott	:	0	:	0	:	800
Sharkey	:	87,150	:	89,250	:	92,600
Sunflower	:	156,650	:	159,900	:	133,400
Tallahatchie	:	49,600	:	50,850	:	65,450
Tate	:	0	:	0	:	20,050
Tippah	:	0	:	0	:	3,800
Tishomingo	:	0	:	0	:	1,900
Tunica	:	89,050	:	91,150	:	113,300
Union	:	0	:	0	:	550
Warren	1/:		:		:	13,950
Washington	:	150,450	:	153,500	:	164,250
Webster	1/:		:		:	23,000
Yalobusha	1/:		:		:	19,450
Yazoo	:	224,600	:	232,850	:	151,450
	:		:		:	
Mississippi	:	2,063,250	:	2,115,700	:	2,067,350
	:		:		:	
Dunklin	:	267,500	:	275,000	:	242,650
New Madrid	:	186,300	:	192,300	:	192,500
Pemiscot	:	125,100	:	127,850	:	148,150
Scott	1/:		:		:	6,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Stoddard	1/:					93,650
Missouri	:	675,800		693,400		682,950
Chaves	1/:					3,750
Curry	:	0		0		1,950
Dona Ana	1/:					35,600
Eddy	1/:					12,150
Lea	:	0		0		17,450
Luna	1/:					4,850
Quay	1/:	0		0		
Roosevelt	:	0		0		5,900
Sierra	1/:	0		0		
New Mexico	:	56,800		57,450		82,000
Anson	1/:					3,800
Beaufort	1/:					28,400
Bertie	1/:					48,950
Bladen	:	0		0		9,600
Cabarrus	1/:	0		0		
Camden	:	0		0		1,150
Chatham	1/:	0		0		
Chowan	:	0		0		22,750
Cleveland	1/:					2,300
Columbus	1/:					10,200
Craven	1/:					18,200
Cumberland	:	0		0		7,100
Davidson	:	0		0		700
Duplin	1/:					37,250
Edgecombe	1/:					62,050
Franklin	1/:	0		0		
Gates	1/:					19,450
Greene	1/:					23,900
Guilford	1/:	0		0		
Halifax	:	74,300		77,900		76,850
Harnett	1/:					16,850
Hertford	1/:					23,700
Hoke	:	0		0		22,400
Hyde	1/:					23,500
Iredell	:	0		0		450

See footnotes at end of table.

-- continued



Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003(continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Johnston	:	0	:	0	:	17,800
Jones	1/:		:		:	28,200
Lee	:	0	:	0	:	700
Lenoir	1/:		:		:	47,050
Martin	1/:		:		:	42,050
Montgomery	:	0	:	0	:	1,250
Moore	1/:	0	:	0	:	
Nash	1/:		:		:	29,650
Northampton	:	85,750	:	90,300	:	84,000
Onslow	:	0	:	0	:	5,950
Pamlico	:	0	:	0	:	5,100
Pasquotank	:	0	:	0	:	3,000
Pender	:	0	:	0	:	6,200
Perquimans	1/:		:		:	25,300
Pitt	:	45,750	:	47,900	:	41,450
Richmond	:	0	:	0	:	1,800
Robeson	1/:		:		:	28,700
Rowan	:	0	:	0	:	1,050
Rutherford	1/:		:		:	350
Sampson	1/:		:		:	43,850
Scotland	1/:		:		:	22,300
Stanly	1/:		:		:	7,750
Surry	1/:	0	:	0	:	
Tyrrell	:	0	:	0	:	2,550
Union	:	0	:	0	:	6,300
Wake	1/:	0	:	0	:	
Warren	1/:	0	:	0	:	
Washington	:	0	:	0	:	12,750
Wayne	1/:		:		:	33,600
Wilson	1/:		:		:	37,500
	:		:		:	
North Carolina	:	1,007,450	:	1,047,950	:	996,900
	:		:		:	
Alfalfa	:	0	:	0	:	650
Atoka	:	0	:	0	:	600
Beckham	1/:		:		:	3,200
Caddo	1/:		:		:	2,800
Canadian	:	0	:	0	:	2,400
Comanche	:	0	:	0	:	2,250
Cotton	:	0	:	0	:	650
Custer	1/:		:		:	600

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003(continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Garvin	:	0	:	0	:	650
Grady	1/:		:		:	
Grant	:	0	:	0	:	2,250
Greer	1/:		:		:	4,950
Harmon	:	21,950	:	22,300	:	29,200
Jackson	:	117,850	:	120,200	:	97,300
Kay	1/:		:		:	6,750
Kiowa	1/:		:		:	4,500
Mccurtain	:	0	:	0	:	1,100
Noble	:	0	:	0	:	550
Oklahoma	1/:	0	:	0	:	
Roger Mills	:	0	:	0	:	500
Texas	:	0	:	0	:	8,500
Tillman	1/:		:		:	37,150
Washita	1/:		:		:	5,700
Woods	1/:	0	:	0	:	
	:		:		:	
Oklahoma	:	205,350	:	209,850	:	212,600
	:		:		:	
Abbeville	:	0	:	0	:	300
Aiken	:	0	:	0	:	5,250
Allendale	1/:		:		:	3,250
Anderson	:	0	:	0	:	550
Bamberg	:	0	:	0	:	5,500
Barnwell	:	0	:	0	:	5,100
Berkeley	1/:		:		:	
Calhoun	:	54,200	:	55,750	:	32,650
Cherokee	1/:	0	:	0	:	
Chester	:	0	:	0	:	650
Chesterfield	1/:	0	:	0	:	
Clarendon	1/:		:		:	3,850
Colleton	:	0	:	0	:	1,050
Darlington	1/:		:		:	45,100
Dillon	1/:		:		:	26,150
Dorchester	:	0	:	0	:	7,200
Edgefield	:	0	:	0	:	500
Florence	:	0	:	0	:	8,050
Georgetown	:	0	:	0	:	700
Hampton	1/:		:		:	10,200
Horry	:	0	:	0	:	1,200
Kershaw	:	0	:	0	:	300

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Laurens	1/:	0	:	0	:	
Lee	1/:		:		:	30,000
Lexington	:	0	:	0	:	2,100
Marion	:	0	:	0	:	4,750
Marlboro	:	53,700	:	56,150	:	48,700
Newberry	:	0	:	0	:	550
Orangeburg	:	39,850	:	41,100	:	28,800
Richland	:	0	:	0	:	1,350
Saluda	1/:		:		:	1,750
Sumter	:	26,350	:	27,450	:	10,000
Williamsburg	1/:		:		:	25,900
York	1/:		:		:	3,100
	:		:		:	
South Carolina	:	311,450	:	322,350	:	314,750
	:		:		:	
Carroll	1/:		:		:	33,950
Chester	:	0	:	0	:	3,150
Coffee	1/:	0	:	0	:	
Crockett	:	154,850	:	159,150	:	115,700
Dyer	:	0	:	0	:	42,200
Fayette	1/:		:		:	68,450
Franklin	:	0	:	0	:	6,450
Gibson	:	44,100	:	45,700	:	54,400
Giles	:	0	:	0	:	3,900
Grundy	1/:	0	:	0	:	
Hardeman	1/:		:		:	31,450
Hardin	:	0	:	0	:	1,050
Haywood	:	200,350	:	205,550	:	166,300
Henderson	:	0	:	0	:	5,650
Henry	:	0	:	0	:	700
Lake	1/:		:		:	26,100
Lauderdale	:	66,000	:	68,300	:	63,000
Lawrence	:	0	:	0	:	400
Lincoln	1/:		:		:	23,750
Madison	1/:		:		:	69,250
McNairy	:	0	:	0	:	5,150
Obion	:	0	:	0	:	3,250
Rutherford	:	0	:	0	:	4,700
Shelby	:	0	:	0	:	31,400
Tipton	:	144,350	:	150,600	:	101,050
Weakley	:	0	:	0	:	1,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Tennessee	853,900	878,800	863,050
Andrews	0	0	10,450
Aransas	0	0	2,750
Archer 1/	0	0	0
Austin	0	0	3,000
Bailey	24,750	25,550	12,900
Baylor	0	0	3,900
Bee	0	0	17,800
Bell	0	0	2,300
Bexar	0	0	1,550
Borden 1/	0	0	23,650
Brazoria	10,800	11,400	3,400
Brazos 1/	0	0	18,750
Briscoe	31,650	33,050	17,100
Brown	0	0	300
Burleson 1/	0	0	26,800
Caldwell 1/	0	0	3,150
Calhoun 1/	0	0	28,250
Callahan	0	0	1,050
Cameron	52,900	54,900	62,700
Carson	0	0	27,300
Castro	61,000	62,800	87,550
Childress 1/	0	0	31,550
Clay	0	0	14,500
Cochran 1/	0	0	31,600
Coke 1/	0	0	0
Coleman	0	0	700
Collin 1/	0	0	1,800
Collingsworth 1/	0	0	36,150
Colorado	0	0	4,700
Concho 1/	0	0	11,150
Coryell 1/	0	0	0
Cottle 1/	0	0	9,150
Crosby	98,050	101,900	104,800
Culberson 1/	0	0	350
Dawson	172,650	178,250	205,750
Deaf Smith 1/	0	0	20,900
Delta	0	0	1,550
Dickens 1/	0	0	13,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Donley	1/:					10,000
El Paso	1/:					49,400
Ellis	:	24,700		25,900		26,200
Falls	1/:					3,250
Fisher	1/:					46,750
Floyd	:	46,650		48,550		59,950
Foard	:	0		0		2,100
Fort Bend	:	43,450		44,850		43,500
Frio	:	0		0		5,600
Gaines	:	268,250		274,800		220,850
Garza	1/:					34,550
Glasscock	1/:					60,050
Goliad	:	0		0		2,300
Gray	:	0		0		800
Grimes	:	0		0		1,600
Guadalupe	1/:	0		0		
Hale	:	199,500		205,550		167,750
Hall	:	51,350		52,900		58,550
Hardeman	1/:					5,750
Hartley	1/:	0		0		
Haskell	:	55,100		56,350		56,750
Hays	:	0		0		400
Henderson	:	0		0		600
Hidalgo	:	55,200		57,350		62,150
Hill	:	22,550		23,300		14,350
Hockley	:	173,950		178,550		109,250
Houston	1/:					4,050
Howard	:	68,900		70,700		54,600
Hudspeth	:	0		0		11,950
Hunt	1/:					2,000
Jackson	1/:					42,400
Jim Wells	:	0		0		8,800
Jones	:	66,900		67,900		39,650
Karnes	:	0		0		2,600
Kent	1/:					1,400
King	:	0		0		500
Kinney	:	0		0		650
Kleberg	1/:					45,200
Knox	1/:					35,500
La Salle	:	0		0		700
Lamar	1/:					1,350

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003(continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Lamb	:	87,900	:	91,700	:	82,100
Limestone	:	0	:	0	:	900
Live Oak	:	0	:	0	:	1,000
Lubbock	:	201,350	:	206,450	:	164,300
Lynn	:	170,650	:	175,800	:	189,700
Madison	:	0	:	0	:	500
Martin	:	130,300	:	133,900	:	90,750
Mason	:	0	:	0	:	400
Matagorda	1/:		:		:	27,250
Mcculloch	:	0	:	0	:	600
Mclennan	1/:		:		:	7,200
Medina	:	0	:	0	:	21,800
Midland	1/:		:		:	19,150
Milam	1/:		:		:	5,650
Mitchell	:	32,450	:	33,350	:	29,150
Moore	:	0	:	0	:	4,350
Motley	1/:		:		:	11,800
Navarro	1/:		:		:	16,800
Nolan	1/:		:		:	32,250
Nueces	:	154,050	:	156,750	:	235,950
Ochiltree	:	0	:	0	:	350
Parmer	:	35,050	:	36,600	:	36,550
Pecos	1/:		:		:	14,550
Potter	:	0	:	0	:	700
Presidio	:	0	:	0	:	350
Randall	:	0	:	0	:	2,700
Reagan	:	0	:	0	:	17,250
Red River	:	0	:	0	:	4,250
Reeves	1/:		:		:	2,200
Refugio	1/:		:		:	40,500
Robertson	1/:		:		:	35,350
Runnels	:	41,300	:	43,150	:	27,950
San Patricio	:	326,600	:	335,500	:	249,800
Schleicher	:	0	:	0	:	2,650
Scurry	:	34,000	:	34,100	:	29,350
Shackelford	:	0	:	0	:	2,650
Starr	:	0	:	0	:	3,500
Stonewall	:	0	:	0	:	4,100
Swisher	:	34,900	:	35,800	:	58,300
Taylor	1/:		:		:	4,950
Terry	:	136,800	:	140,350	:	164,700

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2003 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Throckmorton 1/:			500
Tom Green :	60,100	61,850	58,000
Travis :	0	0	1,000
Upton 1/:			8,200
Uvalde :	0	0	17,650
Victoria :	0	0	14,800
Walker 1/:			1,700
Waller 1/:	0	0	
Wharton :	115,700	118,400	74,950
Wheeler :	0	0	6,500
Wichita :	0	0	4,650
Wilbarger :	20,100	20,450	11,550
Willacy :	122,250	125,500	102,050
Williamson :	25,750	26,100	25,050
Yoakum :	99,350	102,150	92,300
Young :	0	0	600
Zavala 1/:			30,400
Other 2/:			13,950
:			
Texas :	4,274,850	4,397,450	4,246,000
:			
Accomack 1/:			700
Brunswick :	0	0	750
Charles City :	0	0	1,250
ChesapeakeCity1/:	0	0	
Dinwiddie 1/:	0	0	
Greensville 1/:			8,900
Halifax :	0	0	900
Henrico 1/:	0	0	
Isle of Wight1/:			23,350
King William 1/:	0	0	
King & Queen 1/:	0	0	
Northampton :	0	0	800
Southampton :	0	0	43,300
Suffolk City 1/:			21,950
Surry :	0	0	5,600
Sussex :	0	0	6,050
Warren 1/:	0	0	
:			
Virginia :	106,450	109,450	116,050
:			

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
 by County, State, and United States, Crop Year 2003 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
:			
US TOTAL	17,708,900	18,240,800	17,708,900

- 1/ Withheld to avoid disclosing individual gins, but included in State and U.S. totals.  
 2/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	505.7	287
Baldwin	1	497.2	244
Barbour	0	0.0	319
Bibb	0	0.0	565
Blount	1	489.2	375
Bullock	0	0.0	470
Butler	0	0.0	487
Calhoun	0	0.0	321
Chambers	0	0.0	537
Cherokee	2	492.9	261
Chilton	1	498.0	507
Choctaw	0	0.0	517
Clarke	0	0.0	485
Clay	0	0.0	492
Coffee	1	501.2	214
Colbert	2	494.0	114
Conecuh	0	0.0	351
Covington	1	498.5	193
Crenshaw	1	491.5	466
Cullman	0	0.0	400
Dale	0	0.0	258
Dallas	0	0.0	246
Dekalb	0	0.0	616
Elmore	2	500.4	224
Escambia	1	501.8	153
Etowah	0	0.0	424
Fayette	1	495.0	409
Franklin	0	0.0	423
Geneva	2	501.0	235
Greene	1	485.0	550
Hale	0	0.0	461
Henry	2	484.0	169
Houston	1	484.8	164
Jackson	0	0.0	286
Jefferson	0	0.0	410
Lamar	0	0.0	530
Lauderdale	2	495.2	122

See footnotes at end of table.

-- (continued)

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Lawrence	3	499.5	69
Lee	0	0.0	386
Limestone	5	502.7	46
Lowndes	1	505.1	348
Macon	1	502.0	189
Madison	3	497.6	63
Marengo	1	496.4	332
Marion	0	0.0	544
Marshall	0	0.0	514
Mobile	1	504.4	251
Monroe	1	497.4	150
Montgomery	0	0.0	449
Morgan	0	0.0	439
Perry	0	0.0	370
Pickens	0	0.0	515
Pike	0	0.0	292
Russell	2	487.9	302
Shelby	0	0.0	329
Talladega	0	0.0	391
Tallapoosa	1	498.6	463
Tuscaloosa	1	494.3	315
Washington	0	0.0	442
Wilcox	0	0.0	389
Alabama	44	497.1	
Cochise	1	483.8	383
Graham	4	502.0	115
Greenlee	0	0.0	430
La Paz	2	492.5	95
Maricopa	8	493.1	48
Mohave	1	484.0	314
Pima	2	503.5	201
Pinal	13	494.3	6
Yuma	4	497.3	77
Arizona	35	495.0	
Arkansas	0	0.0	600
Ashley	4	490.5	39
Chicot	2	494.0	64

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Clay	2	486.1	109
Craighead	6	490.6	15
Crittenden	5	489.1	86
Cross	1	511.4	425
Desha	6	491.1	14
Drew	1	482.5	103
Greene	3	487.9	176
Jefferson	6	492.7	71
Lafayette	1	493.0	324
Lee	1	500.5	42
Lincoln	1	506.3	65
Little River	0	0.0	601
Lonoke	4	490.9	106
Miller	0	0.0	457
Mississippi	11	493.5	3
Monroe	1	500.0	135
Phillips	6	501.8	31
Poinsett	4	490.1	35
Prairie	0	0.0	444
Pulaski	0	0.0	488
St. Francis	3	497.1	79
Woodruff	1	496.9	306
Arkansas	69	493.4	
Colusa	1	500.0	267
Fresno	24	497.6	1
Glenn	0	0.0	385
Imperial	1	484.5	226
Kern	20	495.4	4
Kings	11	499.1	2
Madera	2	495.7	118
Merced	3	498.9	16
Riverside	2	487.0	111
San Bernardi	0	0.0	437
San Joaquin	0	0.0	573
Sutter	2	513.8	403
Tulare	8	494.3	24
California	74	496.8	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Calhoun	0	0.0	426
Escambia	1	488.9	236
Gadsden	0	0.0	585
Hamilton	0	0.0	603
Holmes	0	0.0	471
Jackson	1	498.0	131
Jefferson	0	0.0	458
Madison	0	0.0	566
Okaloosa	0	0.0	341
Santa Rosa	2	493.9	137
Suwannee	0	0.0	508
Walton	0	0.0	360
Washington	0	0.0	602
Florida	4	494.6	
Appling	2	499.1	94
Atkinson	0	0.0	252
Bacon	0	0.0	247
Baker	0	0.0	105
Bartow	1	481.5	440
Ben Hill	0	0.0	264
Berrien	3	494.9	159
Bleckley	1	494.8	185
Brooks	2	498.9	75
Bryan	0	0.0	519
Bulloch	2	500.9	155
Burke	4	496.6	129
Calhoun	2	492.4	121
Candler	2	486.9	272
Clay	0	0.0	265
Clinch	0	0.0	604
Coffee	2	495.5	104
Colquitt	6	494.9	30
Cook	0	0.0	116
Crawford	0	0.0	481
Crisp	2	485.6	88
Decatur	2	491.6	89
Dodge	1	491.1	212
Dooly	8	493.1	28
Dougherty	0	0.0	262

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Early	1	495.4	66
Effingham	0	0.0	405
Elbert	0	0.0	416
Emanuel	0	0.0	187
Evans	0	0.0	305
Floyd	0	0.0	407
Glascock	0	0.0	498
Grady	0	0.0	125
Hart	0	0.0	510
Henry	0	0.0	587
Houston	0	0.0	210
Irwin	1	497.0	139
Jeff Davis	1	498.5	158
Jefferson	2	503.5	248
Jenkins	0	0.0	243
Johnson	0	0.0	455
Lamar	0	0.0	404
Lanier	0	0.0	273
Laurens	2	497.9	291
Lee	1	491.3	123
Long	0	0.0	579
Lowndes	1	491.6	242
Macon	0	0.0	219
Madison	0	0.0	617
Marion	0	0.0	419
McDuffie	0	0.0	588
Miller	1	489.7	87
Mitchell	1	498.1	57
Monroe	0	0.0	559
Montgomery	0	0.0	387
Morgan	2	497.2	451
Oconee	0	0.0	586
Peach	0	0.0	238
Pierce	0	0.0	249
Polk	0	0.0	450
Pulaski	3	496.7	96
Quitman	0	0.0	518
Randolph	1	494.1	196
Schley	0	0.0	438
Screven	1	498.4	209
Seminole	1	498.0	93

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Stewart	0	0.0	374
Sumter	1	500.5	128
Tattnall	0	0.0	274
Taylor	1	482.1	310
Telfair	0	0.0	281
Terrell	1	496.6	136
Thomas	2	498.6	127
Tift	2	489.8	145
Toombs	0	0.0	322
Treutlen	0	0.0	358
Turner	2	509.4	132
Twiggs	0	0.0	290
Walker	0	0.0	574
Walton	0	0.0	558
Ware	0	0.0	355
Warren	0	0.0	594
Washington	0	0.0	376
Wayne	0	0.0	270
Webster	0	0.0	294
Wheeler	0	0.0	433
Wilcox	1	497.0	142
Wilkinson	0	0.0	531
Worth	1	498.0	53
Georgia	70	495.2	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	:	Number of Active Gins	:	Average Weight per Running Bale Ginned	:	Rank by Running Bales Produced
	:	Number	:	Pounds	:	Rank
Kansas	1/	3	:	494.9	:	
Avoyelles	:	1	:	499.3	:	171
Bossier	:	0	:	0.0	:	417
Caddo	:	4	:	497.1	:	167
Caldwell	:	0	:	0.0	:	279
Catahoula	:	4	:	492.0	:	37
Concordia	:	3	:	486.9	:	72
Desoto	:	0	:	0.0	:	473
East Carroll	:	6	:	489.3	:	55
Evangeline	:	0	:	0.0	:	459
Franklin	:	7	:	498.9	:	56
Grant	:	0	:	0.0	:	520
Lasalle	:	0	:	0.0	:	607
Madison	:	1	:	488.8	:	34
Morehouse	:	5	:	495.2	:	40
Natchitoches	:	0	:	0.0	:	283
Ouachita	:	1	:	488.2	:	215
Pointe Coupee	:	1	:	488.8	:	229
Rapides	:	4	:	483.9	:	151
Red River	:	1	:	493.2	:	293
Richland	:	4	:	496.7	:	92
Saint Landry	:	0	:	0.0	:	349
Tensas	:	5	:	492.7	:	22
W Baton Rouge	:	0	:	0.0	:	575
West Carroll	:	2	:	491.0	:	204
Louisiana	:	49	:	492.7	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Adams	0	0.0	447
Alcorn	0	0.0	503
Attala	0	0.0	268
Benton	1	498.0	342
Bolivar	8	492.2	26
Calhoun	3	489.0	126
Carroll	2	500.1	165
Chickasaw	0	0.0	325
Choctaw	0	0.0	395
Claiborne	0	0.0	298
Clay	0	0.0	347
Coahoma	6	490.5	10
Copiah	0	0.0	472
Covington	0	0.0	448
Desoto	2	493.9	245
Forrest	0	0.0	371
George	0	0.0	327
Greene	0	0.0	475
Grenada	0	0.0	275
Hinds	2	486.2	216
Holmes	3	491.1	33
Humphreys	3	489.6	32
Issaquena	0	0.0	172
Itawamba	0	0.0	580
Jackson	0	0.0	521
Jefferson	1	503.0	345
Lafayette	1	496.0	300
Lamar	0	0.0	504
Lawrence	0	0.0	490
Leake	0	0.0	421
Lee	1	492.0	134
Leflore	9	490.8	23
Lowndes	0	0.0	307
Madison	1	479.9	220
Marshall	0	0.0	462
Monroe	2	500.6	278
Montgomery	1	502.0	228
Newton	0	0.0	509
Noxubee	0	0.0	303
Oktibbeha	0	0.0	618
Panola	3	499.6	61

See footnotes at end of table.

-- continued



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Perry	0	0.0	464
Pontotoc	1	480.0	280
Prentiss	0	0.0	482
Quitman	4	488.3	98
Rankin	1	499.0	296
Scott	0	0.0	511
Sharkey	5	491.5	50
Sunflower	7	490.0	29
Tallahatchie	4	492.1	70
Tate	0	0.0	221
Tippah	0	0.0	380
Tishomingo	0	0.0	446
Tunica	5	491.3	38
Union	0	0.0	545
Warren	1	497.0	256
Washington	9	489.8	21
Webster	1	475.0	205
Yalobusha	1	492.0	222
Yazoo	7	497.6	25
Mississippi	95	492.2	
Dunklin	11	493.5	7
New Madrid	8	495.4	12
Pemiscot	7	490.6	27
Scott	3	495.5	334
Stoddard	2	480.6	49
Missouri	31	492.5	
Chaves	1	502.4	382
Curry	0	0.0	443
Dona Ana	6	483.5	146
Eddy	2	478.7	266
Lea	0	0.0	234
Luna	1	492.6	359
Quay	0	0.0	581
Roosevelt	0	0.0	336
Sierra	0	0.0	619
New Mexico	10	485.3	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Anson	1	481.8	381
Beaufort	1	491.8	179
Bertie	2	498.0	99
Bladen	0	0.0	295
Cabarrus	0	0.0	582
Camden	0	0.0	491
Chatham	0	0.0	620
Chowan	0	0.0	206
Cleveland	3	495.0	427
Columbus	1	499.2	284
Craven	1	496.9	230
Cumberland	0	0.0	318
Davidson	0	0.0	522
Duplin	1	494.3	140
Edgecombe	2	495.1	78
Franklin	0	0.0	609
Gates	1	487.4	223
Greene	1	483.1	197
Guilford	0	0.0	591
Halifax	4	503.2	60
Harnett	1	497.5	240
Hertford	1	483.6	199
Hoke	0	0.0	207
Hyde	1	491.9	202
Iredell	0	0.0	556
Johnston	0	0.0	231
Jones	1	509.5	181
Lee	0	0.0	523
Lenoir	2	496.4	101
Martin	1	503.6	120
Montgomery	0	0.0	483
Moore	0	0.0	583
Nash	1	487.6	170
Northampton	6	505.4	58
Onslow	0	0.0	335
Pamlico	0	0.0	353
Pasquotank	0	0.0	401
Pender	0	0.0	331
Perquimans	1	495.0	194
Pitt	3	502.6	124

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Richmond	0	0.0	453
Robeson	2	512.8	178
Rowan	0	0.0	494
Rutherford	1	468.7	568
Sampson	2	496.3	110
Scotland	1	500.0	208
Stanly	1	498.3	312
Surry	0	0.0	608
Tyrrell	0	0.0	418
Union	0	0.0	330
Wake	0	0.0	611
Warren	0	0.0	610
Washington	0	0.0	263
Wayne	2	509.8	154
Wilson	1	491.0	138
North Carolina	46	499.3	
Alfalfa	0	0.0	533
Atoka	0	0.0	539
Beckham	2	499.2	396
Caddo	1	482.2	406
Canadian	0	0.0	422
Comanche	0	0.0	431
Cotton	0	0.0	532
Custer	2	501.5	538
Garvin	0	0.0	534
Grady	1	505.0	612
Grant	0	0.0	432
Greer	1	500.0	356
Harmon	3	487.2	174
Jackson	4	489.5	47
Kay	1	498.8	323
Kiowa	2	495.3	366
Mccurtain	0	0.0	493
Noble	0	0.0	546
Oklahoma	0	0.0	592
Roger Mills	0	0.0	551
Texas	0	0.0	304

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Tillman	3	487.7	141
Washita	2	502.7	338
Woods	0	0.0	621
Oklahoma	22	490.5	
Abbeville	0	0.0	577
Aiken	0	0.0	350
Allendale	1	501.5	392
Anderson	0	0.0	547
Bamberg	0	0.0	346
Barnwell	0	0.0	354
Berkeley	0	0.0	625
Calhoun	3	493.9	156
Cherokee	0	0.0	622
Chester	0	0.0	535
Chesterfield	0	0.0	624
Clarendon	2	489.8	379
Colleton	0	0.0	495
Darlington	2	498.5	108
Dillon	2	488.2	190
Dorchester	0	0.0	316
Edgefield	0	0.0	552
Florence	0	0.0	309
Georgetown	0	0.0	524
Hampton	1	498.0	285
Horry	0	0.0	486
Kershaw	0	0.0	576
Laurens	0	0.0	623
Lee	3	494.2	168
Lexington	0	0.0	435
Marion	0	0.0	361
Marlboro	4	501.9	100
Newberry	0	0.0	548
Orangeburg	4	495.2	177
Richland	0	0.0	478
Saluda	1	511.9	456
Sumter	3	500.0	288
Williamsburg	1	506.9	192
York	1	477.4	399
South Carolina	28	496.8	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Carroll	1	482.2	152
Chester	0	0.0	397
Coffee	0	0.0	593
Crockett	5	493.3	36
Dyer	0	0.0	119
Fayette	2	497.9	68
Franklin	0	0.0	328
Gibson	3	497.5	91
Giles	0	0.0	377
Grundy	0	0.0	613
Hardeman	2	482.9	162
Hardin	0	0.0	496
Haywood	8	492.4	18
Henderson	0	0.0	339
Henry	0	0.0	525
Lake	1	496.0	191
Lauderdale	3	496.7	73
Lawrence	0	0.0	561
Lincoln	1	487.8	198
Madison	2	488.8	67
Mcnairy	0	0.0	352
Obion	0	0.0	393
Rutherford	0	0.0	362
Shelby	0	0.0	163
Tipton	4	500.8	45
Weakley	0	0.0	476
Tennessee	32	494.0	
Andrews	0	0.0	282
Aransas	0	0.0	408
Archer	0	0.0	614
Austin	0	0.0	402
Bailey	5	495.9	260
Baylor	0	0.0	378
Bee	0	0.0	232
Bell	0	0.0	428
Bexar	0	0.0	469
Borden	1	480.0	200
Brazoria	3	507.5	390
Brazos	2	486.3	227

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Briscoe	3	501.0	239
Brown	0	0.0	578
Burleson	1	488.3	186
Caldwell	1	480.0	398
Callhoun	1	494.1	180
Callahan	0	0.0	497
Cameron	6	498.2	74
Carson	0	0.0	183
Castro	4	494.2	54
Childress	1	492.0	161
Clay	0	0.0	254
Cochran	2	489.5	160
Coke	1	494.6	584
Coleman	0	0.0	527
Collin	1	480.0	454
Collingsworth	2	503.1	144
Colorado	0	0.0	363
Concho	1	496.2	277
Coryell	0	0.0	599
Cottle	1	500.2	297
Crosby	6	498.8	43
Culberson	1	477.6	570
Dawson	10	495.5	11
Deaf Smith	2	498.3	217
Delta	0	0.0	468
Dickens	1	508.0	257
Donley	1	498.0	289
El Paso	4	493.1	97
Ellis	3	503.2	188
Falls	2	493.6	394
Fisher	4	486.7	102
Floyd	9	499.3	81
Foard	0	0.0	436
Fort Bend	5	495.7	112
Frio	0	0.0	343
Gaines	9	491.7	9
Garza	1	489.7	149
Glasscock	1	504.0	80
Goliad	0	0.0	429
Gray	0	0.0	512
Grimes	0	0.0	465

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Guadalupe	0	0.0	626
Hale	12	494.5	17
Hall	3	494.7	82
Hardeman	1	502.7	337
Hartley	0	0.0	598
Haskell	6	490.8	85
Hays	0	0.0	563
Henderson	0	0.0	541
Hidalgo	5	498.9	76
Hill	4	495.6	255
Hockley	7	492.7	41
Houston	1	493.0	373
Howard	4	492.7	90
Hudspeth	0	0.0	269
Hunt	1	476.3	441
Jackson	1	490.5	117
Jim Wells	0	0.0	301
Jones	7	487.1	133
Karnes	0	0.0	415
Kent	1	500.0	477
King	0	0.0	553
Kinney	0	0.0	536
Kleberg	2	493.5	107
Knox	1	507.9	147
La Salle	0	0.0	528
Lamar	1	497.6	479
Lamb	8	500.8	59
Limestone	0	0.0	505
Live Oak	0	0.0	502
Lubbock	12	492.1	20
Lynn	7	494.5	13
Madison	0	0.0	555
Martin	5	493.2	52
Mason	0	0.0	562
Matagorda	1	484.8	184
Mcculloch	0	0.0	542
Mclennan	1	500.0	317
Medina	0	0.0	213
Midland	1	491.3	225
Milam	1	481.0	340
Mitchell	3	493.1	175

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Moore	0	0.0	368
Motley	2	494.1	271
Navarro	2	497.3	241
Nolan	1	506.0	157
Nueces	6	488.4	8
Ochiltree	0	0.0	569
Parmer	7	501.3	143
Pecos	1	480.0	253
Potter	0	0.0	526
Presidio	0	0.0	571
Randall	0	0.0	412
Reagan	0	0.0	237
Red River	0	0.0	369
Reeves	2	489.3	434
Refugio	1	493.8	130
Robertson	2	485.8	148
Runnels	4	501.5	182
San Patricio	8	493.1	5
Schleicher	0	0.0	414
Scurry	3	481.2	173
Shackelford	0	0.0	413
Starr	0	0.0	388
Stonewall	0	0.0	372
Swisher	4	492.1	83
Taylor	1	472.8	357
Terry	8	492.5	19
Throckmorton	1	463.7	554
Tom Green	5	493.8	84
Travis	0	0.0	501
Upton	1	495.9	308
Uvalde	0	0.0	233
Victoria	0	0.0	250
Walker	1	480.0	460
Waller	0	0.0	615
Wharton	5	491.2	62
Wheeler	0	0.0	326
Wichita	0	0.0	364
Wilbarger	3	488.9	276
Willacy	4	492.7	44
Williamson	4	486.7	195
Yoakum	4	493.5	51

See footnotes at end of table.

-- continued



Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2003(continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Young	0	0.0	540
Zavala	2	490.2	166
Texas	273	494.1	
Accomack	1	492.5	529
Brunswick	0	0.0	516
Charles City	0	0.0	484
Chesapeake City	0	0.0	543
Dinwiddie	0	0.0	549
Greensville	1	489.7	299
Halifax	0	0.0	506
Henrico	0	0.0	627
Isle of Wight	2	496.1	203
King William	0	0.0	557
King and Queen	0	0.0	572
Northampton	0	0.0	513
Southampton	0	0.0	113
Suffolk City	1	491.3	211
Surry	0	0.0	344
Sussex	0	0.0	333
Warren	0	0.0	564
Virginia	5	493.5	
US TOTAL	890	494.5	

1/ County data withheld to avoid disclosing individual gins.

Note: County of origin was not determined for approximately 30,750 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2003

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US	:	890	:	CA	:	74
1 - 2,999	:	78	:	1 - 2,999	:	6
3,000 - 4,999	:	59	:	3,000 - 4,999	:	0
5,000 - 6,999	:	51	:	5,000 - 6,999	:	2
7,000 - 9,999	:	78	:	7,000 - 9,999	:	8
10,000 - 14,999	:	142	:	10,000 - 14,999	:	5
15,000 - 19,999	:	115	:	15,000 - 19,999	:	5
20,000 - 39,999	:	267	:	20,000 - 39,999	:	29
40,000 - and over	:	100	:	40,000 - and over	:	19
AL	:	44	:	FL	:	4
1 - 2,999	:	2	:	1 - 2,999	:	0
3,000 - 4,999	:	4	:	3,000 - 4,999	:	0
5,000 - 6,999	:	3	:	5,000 - 6,999	:	0
7,000 - 9,999	:	6	:	7,000 - 9,999	:	0
10,000 - 14,999	:	7	:	10,000 - 14,999	:	0
15,000 - 19,999	:	6	:	15,000 - 19,999	:	2
20,000 - 39,999	:	12	:	20,000 - 39,999	:	0
40,000 - and over	:	4	:	40,000 - and over	:	2
AZ	:	35	:	GA	:	70
1 - 2,999	:	7	:	1 - 2,999	:	3
3,000 - 4,999	:	2	:	3,000 - 4,999	:	2
5,000 - 6,999	:	0	:	5,000 - 6,999	:	0
7,000 - 9,999	:	1	:	7,000 - 9,999	:	1
10,000 - 14,999	:	10	:	10,000 - 14,999	:	16
15,000 - 19,999	:	2	:	15,000 - 19,999	:	5
20,000 - 39,999	:	10	:	20,000 - 39,999	:	24
40,000 - and over	:	3	:	40,000 - and over	:	19
AR	:	69	:	KS	:	3
1 - 2,999	:	3	:	1 - 2,999	:	0
3,000 - 4,999	:	1	:	3,000 - 4,999	:	0
5,000 - 6,999	:	3	:	5,000 - 6,999	:	0
7,000 - 9,999	:	6	:	7,000 - 9,999	:	0
10,000 - 14,999	:	12	:	10,000 - 14,999	:	1
15,000 - 19,999	:	6	:	15,000 - 19,999	:	1
20,000 - 39,999	:	28	:	20,000 - 39,999	:	1
40,000 - and over	:	10	:	40,000 - and over	:	0

-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2003 (continued)


Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
LA	:	49	:	NC	:	46
1 - 2,999	:	1	:	1 - 2,999	:	3
3,000 - 4,999	:	0	:	3,000 - 4,999	:	1
5,000 - 6,999	:	2	:	5,000 - 6,999	:	1
7,000 - 9,999	:	5	:	7,000 - 9,999	:	1
10,000 - 14,999	:	14	:	10,000 - 14,999	:	4
15,000 - 19,999	:	9	:	15,000 - 19,999	:	12
20,000 - 39,999	:	13	:	20,000 - 39,999	:	20
40,000 - and over	:	5	:	40,000 - and over	:	4
MS	:	95	:	OK	:	22
1 - 2,999	:	3	:	1 - 2,999	:	8
3,000 - 4,999	:	5	:	3,000 - 4,999	:	4
5,000 - 6,999	:	4	:	5,000 - 6,999	:	2
7,000 - 9,999	:	4	:	7,000 - 9,999	:	2
10,000 - 14,999	:	15	:	10,000 - 14,999	:	2
15,000 - 19,999	:	23	:	15,000 - 19,999	:	2
20,000 - 39,999	:	32	:	20,000 - 39,999	:	1
40,000 - and over	:	9	:	40,000 - and over	:	1
MO	:	31	:	SC	:	28
1 - 2,999	:	1	:	1 - 2,999	:	4
3,000 - 4,999	:	2	:	3,000 - 4,999	:	2
5,000 - 6,999	:	0	:	5,000 - 6,999	:	3
7,000 - 9,999	:	2	:	7,000 - 9,999	:	6
10,000 - 14,999	:	3	:	10,000 - 14,999	:	4
15,000 - 19,999	:	8	:	15,000 - 19,999	:	5
20,000 - 39,999	:	13	:	20,000 - 39,999	:	4
40,000 - and over	:	2	:	40,000 - and over	:	0
NM	:	10	:	TN	:	32
1 - 2,999	:	3	:	1 - 2,999	:	0
3,000 - 4,999	:	1	:	3,000 - 4,999	:	1
5,000 - 6,999	:	4	:	5,000 - 6,999	:	1
7,000 - 9,999	:	0	:	7,000 - 9,999	:	2
10,000 - 14,999	:	0	:	10,000 - 14,999	:	4
15,000 - 19,999	:	0	:	15,000 - 19,999	:	4
20,000 - 39,999	:	2	:	20,000 - 39,999	:	16
40,000 - and over	:	0	:	40,000 - and over	:	4

-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2003 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
TX	:	273	:		:	
1 - 2,999	:	33	:		:	
3,000 - 4,999	:	34	:		:	
5,000 - 6,999	:	26	:		:	
7,000 - 9,999	:	34	:		:	
10,000 - 14,999	:	45	:		:	
15,000 - 19,999	:	23	:		:	
20,000 - 39,999	:	60	:		:	
40,000 - and over	:	18	:		:	
VA	:	5	:		:	
1 - 2,999	:	1	:		:	
3,000 - 4,999	:	0	:		:	
5,000 - 6,999	:	0	:		:	
7,000 - 9,999	:	0	:		:	
10,000 - 14,999	:	0	:		:	
15,000 - 19,999	:	2	:		:	
20,000 - 39,999	:	2	:		:	
40,000 - and over	:	0	:		:	

## 2003 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



**Cotton Ginnings 2003:** A total of 17.7 million running bales were ginned during the 2003 season, 6 percent above 2002's ginnings of 16.7 million bales. A 65-pound yield per acre increase from 2002 contributed to the higher level of ginnings.

There were 890 active cotton gins during the 2003 season, down from the 921 that operated in 2002. Forty-one percent of the gins processed 20,000 bales or more in 2003, compared with 37 percent the previous season.

**Cotton, 2003 Final:** All cotton production is estimated at 18.3 million bales, up 6 percent from the 2002 production. Upland cotton production is estimated at 17.8 million bales, 8 percent more than the previous production. The U.S. yield for upland cotton is a record high 723 pounds per acre, 71 pounds more than 2002. Harvested area, at 11.8 million acres, is 3 percent below last year. Upland planted area is estimated at 13.3 million acres, 3 percent less than last season. Data from the 7 Objective Yield States showed above average boll counts, higher weights than any of the previous six seasons, and above average harvest loss.

The Southeastern region growers began the season with delayed plantings, replantings, or abandoning plans for cotton entirely as a cool, wet spring prevented fieldwork. Consequently, crop development was up to 3 weeks behind normal. In September, Hurricane Isabel brought intensive wind and rain to North Carolina and Virginia cotton fields. Georgia and Alabama growers managed to harvest their fields when weather permitted. Early November temperatures were above normal allowing growers to make significant harvest progress. Objective yield data showed above average boll counts in Georgia and the highest average boll weight of the previous 5 years. North Carolina boll counts and weights were near average.

Producers in the northern Delta States were also faced with wet conditions that delayed or prevented getting their cotton crop planted. Southern Delta growers had near ideal planting conditions. Cool, June nighttime temperatures slowed crop development and delayed it up to three weeks. However, end of summer heat and humidity matured the crop rapidly. Timely and beneficial rains fell during

the early fall, boosting production prospects. Harvest conditions throughout the region were excellent. Above average temperatures aided the boll opening process. Boll counts and average boll weights in Mississippi were the highest in the 15-year data series. Louisiana's boll counts were the highest since 1992, with the weight per boll above average. Boll counts in Arkansas were slightly below the 15-year average and the lowest since 1999. However, Arkansas boll weights were the highest since 1994.

Texas growers began the planting season at an above average pace in south and central areas. Rains during May benefitted dryland cotton in the Panhandle as the moisture allowed producers to proceed with planting. During June, high winds and hail damaged significant acreage in the High Plains. Growers in the Panhandle also experienced an extremely dry summer. Soil moisture levels were critically short. Growers in south and central areas of Texas experienced a good growing season for the most part. A late season storm hit the southern High Plains in September and adversely affected significant cotton acreage. Growers were concerned that the late cotton crop would be unable to finish boll setting as a series of cold fronts came through the region. Record high temperatures during October, however, helped finish the crop in the High Plains area and growers were able to harvest under ideal conditions. Objective yield measurements showed the Texas boll counts as the lowest since 1995. Average boll weights, however, were the highest in the 15-year data series.

Arizona and California upland cotton growers began planting during March, but were delayed or forced to replant due to the cool, wet spring weather. Some growers switched from American-Pima varieties to upland varieties due to more favorable upland prices. Development of the California cotton crop was up to a month behind normal, but the extremely warm summer weather allowed the crop to catch up. California growers began the harvest later than any of the previous 15 years due to the late-developing crop. October weather provided ideal harvesting conditions throughout California. Growers were wrapping up the harvest by the end of November except in Arizona where it was delayed by frequent scattered showers. Data from objective yield measurements showed California boll counts were the third highest in the 15-year data series, surpassed only by the previous two years. Boll weights were below the 15-year average, but the highest since 1998.

American-Pima production is estimated at 432,300 bales, down 36 percent from 2002. The U.S. Pima yield is estimated at 1,170 pounds per harvested acre, 172 pounds less than last year's record high yield. Producers planted 178,600 acres of Pima cotton in 2003, down 27 percent from 2002. The decrease in planted acreage led to a similar decrease in harvested acreage. Growers either delayed planting or replanted their damaged fields due to the cool, wet spring. Some switched to planting upland varieties. The late-developing crop led to decreased yields.

**Cottonseed:** Cottonseed production in 2003 totaled 6.66 million tons, up 8 percent from 2002. Sales to oil mills accounted for 51 percent of the disposition. The remaining 49 percent will be used for seed, feed, exports, and various other uses.

**Released May 12, 2004, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings 2003 Summary" call Troy Joshua at (202) 690-3234, office hours 7:00 a.m. to 3:30 p.m. ET.**

The "*Cotton Ginnings 2004 Summary*" report will be released in May 2005.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

## **ACCESS TO REPORTS!!**

---

For your convenience, there are several ways to obtain NASS reports, data products, and services:

### **INTERNET ACCESS**

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: <http://www.usda.gov/nass/>. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

### **E-MAIL SUBSCRIPTION**

There are two options for subscribing via e-mail. All NASS reports are available by subscription free of charge direct to your e-mail address. 1) Starting with the NASS Home Page at <http://www.usda.gov/nass/>, click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on **Go to the Subscription Page** and follow the instructions. 2) If you do NOT have Internet access, send an e-mail message to: [usda-reports@usda.mannlib.cornell.edu](mailto:usda-reports@usda.mannlib.cornell.edu). In the body of the message type the word: **list**.

### **AUTOFAX ACCESS**

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

-----

### **PRINTED REPORTS OR DATA PRODUCTS**

**CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)**  
**Other areas, please call 703-605-6220      FAX: 703-605-6900**  
**(Visa, MasterCard, check, or money order acceptable for payment.)**

-----

### **ASSISTANCE**

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: [nass@nass.usda.gov](mailto:nass@nass.usda.gov).

---